



3. Outfitting RFI


3.1. RFI Fabrication

3.1.1. RFI Fabrication Add



1. Click **RFI Fabrication Add** menu .This menu helps to add the outfitting work for the RFI fabrication request.
2. Select Drawing no in the dropdown list.
3. Select the appropriate outfitting drawing
4. Enter **description**.
5. Click  **Save** icon.

Outfitting Fabrication request added successfully



3.1.2.RFI Fabrication Create

1. Click **RFI fabrication create** menu.This menu helps to create RFI requests from added outfitting parts.
2. Select the drawing no from dropdown list
3. Select the fitup toggle(Defaultly selected)
4. Select the outfitting part
5. Click **Create** button at the top

6. After create button click **Inspection date,subcontractor**



Location Code	Node Weight
Central	536
Description	Dess

and description.

7. Click **Create** button.

RFI Fabrication request created successfully.

3.1.3.RFI Fabrication Approve



1. Click **RFI Fabrication approve** menu
2. Select the RFI request no from dropdown list
3. Click **Approve** button.

Outfitting Fabrication request approved successfully.

3.1.4.RFI Fabrication Inspection

1. Click **RFI Fabrication** menu in Inspection.
- 2.



1. Click  button .It will redirected to new page

VSE220073-S-OFFI-0003 (1)

Type : OFFitup
Date : 22/08/2024

PanelNumber 123 N/A

Result *
Accepted

Description


Remarks


1. Result will be defaultly accepted,If need to reject,you can change the dropdown as Reject
2. Enter **remarks**
3. Click **Save** button.

RFI Fabrication inspection approved successfully.

3.2.RFI Installation



3.2.1.RFI Installation Add



1. Click **RFI Installation Add** menu .This menu helps to add the outfitting work for the RFI installation request.
2. Select Drawing no in the dropdown list.
3. Select the appropriate outfitting drawing toggle
4. Enter **description**.
5. Click  **Save** icon.

Outfitting Installation request added successfully.

3.2.2.RFI Installation Create



1. Click **RFI Installation create** menu. This menu helps to create RFI requests from added outfitting parts.
2. Select the drawing no from dropdown list
3. Select the fitup toggle (Defaultly selected)
4. Select the outfitting part toggle button
5. Click **Create** button at the top

6. After create button click **Inspection date,subcontractor**

Location Code	Node Weight
Central	536


Description
Dess

and description.

7. Click **Create** button.

RFI Installation request created successfully.

3.2.3.RFI Installation Approve




1. Click **RFI Installation approve** menu
2. Select the RFI request no from dropdown list
3. Click **Approve** button.

Outfitting Installation request approved successfully.

3.2.4.RFI Installation Inspection

1. Click **RFI Installation** menu in Inspection.
- 2.



1. Click  button .It will redirected to new page

VSE220073-S-OFIF-0004 (1)

Type : OFITEMFITUP
Date : 22/08/2024

PanelNumber 123
Result Accepted
Remarks

1. Result will be defaultly accepted,If need to reject,you can change the dropdown as Reject
2. Enter **remarks**
3. Click **Save** button.

RFI Installation inspection approved

successfully.

Revision #6

Created 22 August 2024 10:02:21 by Shybin

Updated 10 December 2024 05:49:39 by Shybin